


User Manual



A01 No Bark Collar

Please read the user's manual before before using.

0.3.0.02.A01000-14-10

Thanks for purchasing!

The A01 No Bark Collar is designed to let dogs live safely, happily and get along with people more harmoniously.

⚠ WARNING Do not use with aggressive dogs.

Aggressive dog's can cause severe injury and even death to their owner and others. If you are unsure whether this product is appropriate for your dog, please consult your veterinarian or certified trainer.

⚠ CAUTION Safety on-leash training.

It is vitally important that you and your dog remain safe while learning on-leash training. Your dog should be on a strong leash, long enough for him to attempt to chase an object, but short enough for him not to reach a road or other unsafe area. You must also be physically strong enough to restrain your dog when he tries to chase.


CAUTION Risk of skin damage.

Please read and follow the instructions in this manual. Proper fit of the collar is important. A collar worn for too long or made too tight on the pet's neck may cause skin damage ranging from redness to pressure ulcers. This condition is commonly known as bed sores.

- Avoid leaving the collar on the dog for more than 12 hours per day.
- If possible please change the collar position on the pet's neck every 1 to 2 hours.
- Never connect a lead to the electronic collar; it will cause excessive pressure on the contacts.

- If rash or sore found, stop using the collar until the skin healed.
- Please take the pet to see your veterinarian.
- This product is not a toy, please keep away from children.
- This product is only applied for healthy dog.

Overview



No Bark Collar

- A . On/Off Button & Sensitivity Adjust
- B . Sensor
- C . LED Indicator Light
- D . LED Display
- E . Shock Setting Button
- F .Contact Points

Setting Up the Product




Before you use the No Bark Collar, you must set up the product as below steps:

1. Prepare the A01 No Bark Collar--Install battery on the A01 No Bark Collar.(page 4)
2. Function test--test function of buttons before wearing it on dog.(page 6)
3. How to Use the Test Lamp--use the Test Lamp to test Shock function or use as a screw driver. (page 7)
4. Fit the collar on dog, then turn it on.(page 8)

Install battery on the A01 No Bark Collar

1. Take out the battery cover from A01 No Bark (1A).
2. Install the battery according to the engraved mark, negative (-) first, positive(+) next(1B).
3. Push the battery cover in A01 (1C).



- ⚠CAUTION**
1. New and old alkaline batteries and Other batteries can not be mixed, can not recharging for the alkaline battery.
 2. If do not use the A01 no bark collar long time. Please take out the alkaline battery.



Prepare the No Bark Collar



1. Take out the two contact points from the accessories, insert them into the ports of the collar, rotate clockwise to tighten them(2A).
2. If the dog hair is too long, you can install the metal sheet into the ports and then screw the contact points(2B). This will work more effective.




Note: Please do not install the contact points if this function is not be expected to use.



Assembly Collar

1. Unhitch the nylon belt and take off the Slide Buckle(3A).
2. Thread the nylon belt through the Receiver(3B).
3. Thread the nylon belt through the Slide Buckle(3C).
4. Thread the nylon belt through the Side Release Buckle(3D).
5. Thread the excess nylon belt through the Slide Buckle to make sure that your collar is securely tight(3E).





Turn on the A01 No Bark Collar

- Press the On/Off Button and the LED Display on.
- The LED Display on and, indicating the No Bark Collar is ready to detect the dog's bark.

Turn off the No Bark Collar

- Press and hold the On/Off Button until the LED Display off (This takes approximately 3 seconds).

NOTE: To extend the endurance of the battery, please turn off the collar when not in working mode.

Function Test

1. Install batteries into the bark collar and turn on it.
2. Long press the shock setting button for 3 seconds to enter test model. The LED display shows "t" and flashes once every 0.5 seconds.


3. Tap lightly the A01 bark collar to wake up the sensor, then the buzzer will beep and the vibration will shake.
4. Connecting the test light to two contact points, shout “Wo, Wo” to MIC sensor B, the shock will output, the test light will on.
5. Long press the shock setting button for 3 seconds. It will exit from test mode to standby mode, and shock level will back to current shock/sensitivity level.

Work instruction

After power on, the led display shows the current value, the indicator light flashes in green every 4 seconds, if the indicator light flashes in red once every 4 seconds it mean the device is low battery.

Select A01 bark collar working mode:

- On the collar standby mode:
- Press On/Off button, LED display shows 1-2-3 to adjust the sensitivity, the highest level is 3.
- Press shock adjust button ,LED display 0-1-2-3-4-5-6-7-A to adjust the shock level , the highest level is 7.
- LED displays 0, means no shock output .
- LED displays A, means the collar in intelligent automatically working mode. The collar starts at the lowest correction level and increase the intensity with each successive bark until the bark stops, each 80 seconds as a cycle. The current correction value becomes the shock level for the next bark detected. Once you dog has learned to reduce the barking, the initial warning corrections will automatically reduced.



NOTE: As a built-in safety feature, if your dog barks 11 times or more than 80 seconds, the collar will automatically shut off for 1 minute.

Collar Fitting


Please fit the collar properly to avoid over tight for the dog. When properly fitted, you could put a finger between the collar and the dog's neck.

Too loose: The collar will move around the dog's neck, thus the shock stimulation cannot work effectively.

Too tight: It may cause injury for the dog skin and make the dog breathe difficulty.

Caution: 1.Before collar fitting , please turn off it. Make sure the collar is properly fitted, then turn on the NO Bark Collar. Do not shave the pet's neck as this may increase the risk of skin injury.

2.The collar should not be worn for more than 12 hours per day. Or it may cause skin irritation.



Device Information

Product Specification

Battery Type	AAA(LR03) battery
Battery Endurance(typical use)	11 days
Waterproof Rainproof	IEC 60529 IPX5,rain proof
Operating temperature	From 0-40°C(from 32-104°F)

Change batteries for the unit under any below situations

1. The indicator light on the A01 No Bark Collar is emitting a “L” every 4 seconds or flashes rapidly.
2. The indicator light on the collar cannot be lighted on.
3. The indicator light on the collar flashes in red rapidly to indicate power off soon.

Others

Frequently Asked Questions

Is the beep/shock safe for my pet?	Though beep/shock maybe unpleasant, but they are all designed within secure range and will not cause any harm for your pet. The key point of training is interaction between the owner and the pet, with the supports of these function, to achieve desired result.
How old does my pet have to be before using Collar?	Pets should be at least 6 months old before using the Training Collar.
Once my pet is trained and do not bark no long, will he have to continue to wear the Collar?	No need wear every time, if necessary, some times you need to reinforce your training results with him wearing it.

Does the collar beep/ Shock to my pet all the time if he do not stop barking?	No, if the A01 No Bark Collar can not stop your pet's bark within 80 seconds, the unit will stop working for 1 minute. The no Bark Collar is not intended for the punishment but for the reinforcement of behavior modification of pets.
--	--

Troubleshooting Guide

My dog keep barking, the collar seems net working.	<ul style="list-style-type: none"> •Make sure the Collar has been turned on. •The battery may be low in Collar, Replace batteries. •Collar 's Contact Points are too loose or placed snugly against your pet's skin. Refer to "Collar Fitting" for more information.
The Collar will not turn on.	<ul style="list-style-type: none"> •Make sure the Collar use new Alkaline battery and correctly install them.

Warranty and repair information

1-Year Limited Lifetime Warranty

The original purchaser for this unit is provided with 1-YEAR WARRANTY. The warranty begins from the date of purchase. For the first year, coverage is for both Parts and Labor on warranty repair services.

Accessories such as straps and batteries are covered for the first year only. After the first year, the Limited Lifetime Warranty covers Parts only and does not cover Labor Fees and Accessories. All shipping fees incurred, the cost of Accessories after the first year, and labor cost related to the repair work out of warranty, are the customer's responsibility. Labor cost will be variable depending on the work load. The limited lifetime warranty expires 5 years after a model ceased production.

To Qualify for the Warranty

A proof of purchase is required to initiate repair work for any models within warranty time. We strongly recommend customers to keep the original receipt. If the original receipt is not available, the production date of the unit will be judged by the S/N (serial number) . S/N may differ from the actual purchasing date, is the only method of judging the approximate purchasing date with the purchase proof absent.

Not - Warranty Range

We DO NOT offer warranty for products that have been bought secondhand or as a resold product. We DO NOT replace defective units or provide refunds for products purchased from us after 30 days from the date of purchase. Issues of replacement and refunds on units purchased less than 30 days from an authorized dealer must be addressed to the dealer directly. If the products purchased from an authorized dealer are after 30 days from the date of purchase, please send the units to us for service and repair. We DO NOT cover the cost of repairs and replacements due to misuse by the owner or dog, improper maintenance, or unit loss. Any water damage on the water proof remote control or collar will not be covered by us, all the relating cost will be burdened by the customer. The warranty is invalid if the unit has been altered or an unauthorized person has damaged the unit while attempting repair work. We reserve the right to retain and discard any parts or accessories that have been found damaged upon replacement and repair.

Procedure for Repair Work

If the unit is defective, please refer to the above “Troubleshooting Guide” before deliver it back to for service support. The shipping cost will be burdened by customer. We will not responsible for any unit damage or loss during delivery, also the training time loss or inconvenience while the unit is under repairing. We do not provide loaner units or any form of compensation during the repair period. A copy of the sales receipt showing the purchase date may be required before warranty work is initiated. Please offer a brief description of the defective issues and leave us your name, address, phone number and email address.

Compliance

FCC - USA

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

CAUTION: Modification or dismantling to this equipment not expressly approved by Manufacture may void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which


can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Shenzhen Patpet Technology Co.,Ltd

 <https://patpet.com/>

 Become a dealer: inquiry@patpet.com

 After-service: support@patpet.com

 [@PatpetDogCollar](#)

 Youtube Video Guide



MADE IN CHINA